

## **Summary of Studies Supporting USDA Product Licensure**

Establishment Name	Zoetis Inc.
USDA Vet Biologics Establishment Number	190
Product Code	48R5.21
True Name	Encephalomyelitis-Rabies-West Nile Virus Vaccine, Eastern & Western, Killed Virus, Tetanus Toxoid
Tradename(s) / Distributor or Subsidiary (if different from manufacturer)	CORE EQ INNOVATOR - No distributor specified
Date of Compilation Summary	August 15, 2018

Disclaimer: Do not use the following studies to compare one product to another. Slight differences in study design and execution can render the comparisons meaningless.

190 48R5.21 Page 1 of 13

Study Type	Efficacy						
Pertaining to	Tetanus Toxoid						
Study Purpose	Efficacy against Clostridum tetani						
<b>Product Administration</b>	Each product serial is tested in accordance with 9 CFR 113.114						
	requirements						
Study Animals	Guinea pigs						
<b>Challenge Description</b>	NA						
Interval observed after	NA						
challenge							
Results	Efficacy requirements were evaluated by USDA-APHIS prior to product licensure and met regulatory standards for acceptance per 9 CFR 113.114.						
<b>USDA Approval Date</b>	NA						

190 48R5.21 Page 2 of 13

Study Type	Efficacy						
Pertaining to	Eastern Equine Encephalomyelitis Virus (EEE)						
Study Purpose	Efficacy against EEE						
<b>Product Administration</b>	Each product serial is tested in accordance with 9 CFR						
	113.207(b)(2) requirements						
Study Animals	Guinea pigs						
Challenge Description	NA						
Interval observed after	NA						
challenge							
Results	Efficacy requirements were evaluated by USDA-APHIS prior to product licensure and met regulatory standards for acceptance per 9 CFR 113.207(b)(2).						
<b>USDA Approval Date</b>	NA						

190 48R5.21 Page 3 of 13

Study Type	Efficacy						
Pertaining to	Western Equine Encephalomyelitis Virus (WEE)						
Study Purpose	Efficacy against WEE						
<b>Product Administration</b>	Each product serial is tested in accordance with 9 CFR						
	113.207(b)(2) requirements						
Study Animals	Guinea pigs						
Challenge Description	NA						
Interval observed after	NA						
challenge							
Results	Efficacy requirements were evaluated by USDA-APHIS prior to product licensure and met regulatory standards for acceptance per 9 CFR 113.207(b)(2).						
<b>USDA Approval Date</b>	NA						

190 48R5.21 Page 4 of 13

Study Type	Efficacy						
Pertaining to	Rabies Virus (RV)						
Study Purpose	To demonstrate effectiveness and duration of immunity against						
	rabies disease  Control Group: A single dose of a commercially licensed serial						
<b>Product Administration</b>					-		
	(LVP), West N Killed Virus, 7					ern & Venezuelan,	
	· ·					tal vaccine (IVP) was	
						4 weeks later with the	
	LVP.	J					
	All vaccines w	ere admini	stered	by the intra	amuscu	ılar route.	
Study Animals	_	month old	d cros	sbred hors	es that	were rabies sero-	
	negative						
Challenge Description	Challenged 1						
Interval observed after	_	observed f	or 90	days post-	challe	nge for clinical	
challenge	signs.	1 'C'	1	CC + 1:C		1' ' 1 '	
Results						any clinical sign	
	(dFA) in the		-	•		louresent antibody	
	depression, n				_		
						lisorientation,	
	V 1 1	` •	•		, ,	and other clinical	
	signs.	, at 1011, 1ao	orea c	readining,	acatii	and other chimear	
	Table 1. Nu	mber of A	nima	<u>lls Affecte</u>	d by I	<u>Rabies Virus</u>	
			Disc	ease			
	<b>T</b>	YES	,	NO		<b>Total Animals</b>	
	Treatment	No. of		No. of		Challenged Per	
		Animals	%	Animals	%	Group	
	Controls	4	80.0	1	20.0	5	
	Vaccinated	2	7.4	25	92.6	27	
	Animals 2 7.4 25 92.6 27						
	The requirem	ents of 9	CFR 1	13.209 we	ere me	t.	
	The raw data	is shown	on the	attached p	page.		
USDA Approval Date	November 05	5, 2014					

190 48R5.21 Page 5 of 13

## **Individual Animal Data:**

		At Least 1		
Treatment	Animal	Clinical Sign?	dFA <sup>(1)</sup> Result	Affected? (2)
Control	076 538 122	YES	Positive	YES
	076 880 039	YES	Positive	YES
	076 880 526	YES	Positive	YES
	076 881 102	YES	Positive	YES
	076 887 310	NO	Negative	NO
Vaccinated	076 513 039	NO	Negative	NO
	076 517 279	NO	Negative	NO
	076 519 794	NO	Negative	NO
	076 523 267	NO	Negative	NO
	076 523 775	NO	Negative	NO
	076 527 858	YES	Positive	YES
	076 539 080	NO	Negative	NO
	076 543 085	NO	Negative	NO
	076 549 351	NO	Negative	NO
	076 551 273	NO	Negative	NO
	076 555 803	NO	Negative	NO
	076 558 785	NO	Negative	NO
	076 560 848	NO	Negative	NO
	076 561 127	NO	Negative	NO
	076 872 322	NO	Negative	NO
	076 874 029	YES	Positive	YES
	076 877 314	NO	Negative	NO
	076 881 010	NO	Negative	NO
	076 881 514	NO	Negative	NO
	076 886 366	NO	Negative	NO
	077 001 331	NO	Negative	NO
	077 004 324	NO	Negative	NO
	077 008 099	NO	Negative	NO
	077 010 273	NO	Negative	NO
	077 012 045	NO	Negative	NO
	077 013 830	NO	Negative	NO
	077 014 833	NO	Negative	NO

<sup>(1)</sup> dFA = Direct Flourecent Antibody Test

190 48R5.21 Page 6 of 13

<sup>(2)</sup> YES = Positive by dFA in Brain or at least one clinical sign post challenge NO = Negative by dFA in brain or at least one clinical sign post challenge

Study Type	Efficacy						
Pertaining to	West Nile Virus (WNV)						
Study Purpose	To demonstrate effectiv WNV	eness and duration of immunity against					
<b>Product Administration</b>	Two doses, administere	d intramuscularly 3 weeks apart					
Study Animals	1	(at vaccination) old mixed breed horses gative: 19 vaccinates, 11 controls (3 added					
	at challenge)	B (* (*					
<b>Challenge Description</b>	Ŭ,	after vaccination with WNV					
Interval observed after	After challenge, animal	s were monitored twice daily for 14 days,					
challenge	and then once daily for	an additional week					
Results	samples were collected challenge for 2 weeks, at Table 1. Virernia detection	ras prevention of WNV viremia. Serum from each animal twice daily from and once thereafter.  eted in vaccinated and control horses llenge with West Nile Virus					
	Treatment group	Number of viremic horses/horses challenged horses					
	Vaccinates	1/19					
	Controls 9/11						
	The raw data is shown on the attached page.						
<b>USDA Approval Date</b>	August 13, 2002						

190 48R5.21 Page 7 of 13

 $\begin{tabular}{ll} Table 2: Number of Viremia incidences detected in vaccinated and control horses after experimental challenge with West Nile virus (WNV) \\ \end{tabular}$ 

ID number	Group Days Post Challenge										
		0	0.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0	4.5
4271041A29		-	-	-	-	-	+	-	+	-	-
4273363D4C			-	+	+	-	+	+	+	+	+
422C651E1C		-	-	-	-	-	-	-	-	-	+
524A3B6477/5317501016		-	-	-	-	-	-	-	-	-	+
421B355400/53190B764A	1	-	-	-	-	-	-	-	-	-	+
42735D5E73	Controls	-	-	-	-	-	-	-	-	-	-
421A056A0A		-	-	-	-	-	-	-	-	-	-
421E51781D		-	-	-	-	+	-	+	+	+	-
421E4F723F		-	-	-	-	-	+	-	+	+	+
421B2C3C13		-	-	+	-	-	+	+	+	+	-
421E565A55		ı	-	-	-	+	-	+	+	-	-
421A002D66		-	-	-	-	-	-	-	-	-	-
5308581947		ı	-	-	-	-	-	-	-	-	-
422C63576B		ı	-	-	-	-	-	-	-	-	-
417B242E4D	1	-	-	-	-	-	-	-	-	-	-
422C301B30		-	-	-	-	-	-	-	-	-	-
422C643F28		-	-	-	-	-	+	-	-	-	-
421E77405A		ı	-	-	-	-	-	-	-	-	-
421E712746		1	-	-	-	-	-	-	-	-	-
421E78465C		-	-	-	-	-	-	-	-	-	-
421E5C0856	Vaccinates	ı	-	-	-	-	-	ı	-	-	-
421E6C706F		ı	-	-	-	-	-	ı	-	-	-
422C74131B		ı	-	-	-	-	-	1	-	-	-
52491F2C40		ı	-	-	-	-	-	-	-	-	-
422C63330B		-	-	-	-	-	-	-	-	-	-
421945065E		ı	-	-	-	-	-	-	-	-	-
422C5A5E36			-	-	-	-	-	-	-	-	-
421E606E22	]		-	-	-	-	-	-	-	-	-
421E5B025B	]	•	-	-	-	-	-	-	-	-	-
421E6A2314		-	-	-	-	-	-	-	-	-	-

<sup>+</sup> Positive for WNV

190 48R5.21 Page 8 of 13

<sup>-</sup> Negative for WNV

## Table 2 (continued)

ID number	Group Days Post Challenge										
	•	5.0	5.5	6.0	6.5	7.0	7.5	8.0	8.5	9.0	9.5
4271041A29		-	-	-	-	-	-	-	-	-	-
4273363D4C		-	-	-	-	-	-	-	-	-	-
422C651E1C		-	-	-	-	-	-	-	-	-	-
524A3B6477/5317501016	1		+	-	-	-	-	-	-	-	-
421B355400/53190B764A		+	+	-	-	-	-	-	-	-	-
42735D5E73	Controls	-	-	-	-	-	-	-	-	-	-
421A056A0A		-	-	-	-	-	-	-	-	-	-
421E51781D		-	-	-	-	-	-	-	-	-	-
421E4F723F		-	+	-	-	-	-	-	-	-	-
421B2C3C13	]	-	-	-	-	-	-	-	-	-	-
421E565A55		-	-	-	-	-	-	-	-	-	-
421A002D66		-	-	-	-	-	-	-	-	-	-
5308581947		-	-	-	-	-	-	-	-	-	-
422C63576B		-	-	-	-	-	-	-	-	-	-
417B242E4D	1	-	-	-	-	-	-	-	-	-	-
422C301B30	]	-	-	-	-	-	-	-	-	-	-
422C643F28		-	-	-	-	-	-	-	-	-	-
421E77405A	1	-	-	-	-	-	-	-	-	-	-
421E712746	]	-	-	-	-	-	-	-	-	-	-
421E78465C	]	-	-	-	-	-	-	-	-	-	-
421E5C0856	Vaccinates	-	-	-	-	-	-	-	-	-	-
421E6C706F		-	-	-	-	-	-	-	-	-	-
422C74131B		-	-	-	-	-	-	-	-	-	-
52491F2C40		-	-	-	-	-	-	-	-	-	-
422C63330B		-	-	-	-	-	-	-	-	-	-
421945065E		-	-	-	-	-	-	-	-	-	-
422C5A5E36		-	-	-	-	-	-	-	-	-	-
421E606E22		-	-	-	-	-	-	-	-	-	-
421E5B025B		-	-	-	-	-	-	-	-	-	-
421E6A2314		-	-	-	-	-	-	-	-	-	-

<sup>+</sup> Positive for WNV

190 48R5.21 Page 9 of 13

<sup>-</sup> Negative for WNV

## Table 2 (continued)

ID number	Group Days Post Challenge											
		10.0	10.5	11.0	11.5	12.0	12.5	13.0	13.5	14.0	14.5	21.0
4271041A29		_	_	_	-	_	-	_	-	-	-	-
4273363D4C		_	-	-	-	-	-	-	-	-	-	-
422C651E1C		_	-	_	-	_	-	_	-	-	-	-
524A3B6477/5317501016		-	-	-	-	-	-	-	-	-	-	-
421B355400/53190B764A		-	-	-	-	-	-	-	-	-	-	-
42735D5E73	Controls	-	-	-	-	-	-	-	-	-	-	-
421A056A0A		-	-	-	-	-	-	-	-	-	-	-
421E51781D		-	-	-	-	-	-	-	-	-	-	-
421E4F723F		-	-	-	-	-	-	-	-	-	-	-
421B2C3C13		-	-	-	-	-	-	-	-	-	-	-
421E565A55		-	-	-	-	-	-	-	-	-	-	-
421A002D66		-	-	_	-	-	-	_	-	-	-	-
5308581947		_	-	_	-	_	-	_	-	-	-	-
422C63576B		-	-	-	-	-	-	-	-	-	-	-
417B242E4D		-	-	-	-	-	-	-	-	-	-	-
422C301B30		-	-	-	-	-	-	-	-	-	-	-
422C643F28		-	-	-	-	-	-	-	-	-	-	-
421E77405A		-	-	-	-	-	-	-	-	-	-	-
421E712746		-	-	-	-	-	-	-	-	-	-	-
421E78465C		-	-	-	-	-	-	-	-	-	-	-
421E5C0856	Vaccinates	-	-	-	-	-	-	-	-	-	-	-
421E6C706F		-	-	-	-	-	-	-	-	-	-	-
422C74131B		-	-	-	-	-	-	-	-	-	-	1
52491F2C40		-	-	-	-	-	-	-	-	-	-	-
422C63330B		-	-	-	-	-	-	-	-	-	-	-
421945065E		-	-	-	-	-	-	-	-	-	-	-
422C5A5E36			-	-	-	-	-	-	-	-	-	
421E606E22		-	-	-	-	-	-	-	-	-	-	-
421E5B025B		-	-	-	-	-	-	-	-	-	-	-
421E6A2314		-	-	-	-	-	-	-	-	-	-	-

<sup>+</sup> Positive for WNV

190 48R5.21 Page 10 of 13

<sup>-</sup> Negative for WNV

Study Type	Safety							
Pertaining to	ALL							
Study Purpose	Demonstrate safety of product under typical use conditions							
Product Administration	Horses were administered a vaccination series consisting of a single dose of							
1 Toddet Administration				3-4 weeks later with a si				
	•			West Nile Virus Vaccin	•			
	_			s, Tetanus Toxoid, Wes				
				as given by the intramus				
Study Animals				l client owned horses; 20				
2	months of age and							
<b>Challenge Description</b>	NA			<u> </u>				
Interval observed after	Horses were observ	ved for a	bnormal	health events a minimum	m of 21 days			
vaccination	after each vaccinati				•			
Results	Table 1: Frequency	distribu distribu	tion of a	bnormal health events a	fter vaccination.			
		1 <sup>st</sup>	2 <sup>nd</sup>		Number of			
	Number of	Vac	Vac	Abnormal Health	Horses/%			
	Vaccinations	IVP	LVP	Event	Vaccinations			
			1	Ataxia	1 (0.15%)			
		1	1	Cough	1 (0.15%)			
		-	1	Fever	1 (0.15%)			
			1	Hoof Abscess Left	1 (0.1370)			
			1	Front/Left Hind	1 (0.15%)			
			-	Lameness	1 (0.12 /0)			
		1 \$		Injection Site	1 (0 170/)			
		1*		Swelling (1.5-5cm)	1 (0.15%)			
		4		Lameness	4 (0.59%)			
		1*		Muscle Pain	1 (0.15%)			
		1		Nasal Discharge	1 (0.15%)			
	1359	1	1	NOS	2 (0.29%)			
	Vaccinations	2		Skin Haematoma	2 (0.29%)			
	(682 doses of	2	3	Skin Lesion NOS**	4 (0.59%)			
	IVP, 677 doses	2	1	Skin Oedema	3 (0.44%)			
	of LVP)	1	1	Ataxia	2 (0.29%)			
		1		Blepharoedema	1 (0.15%)			
		2	4	Cough	2 (0.29%)			
			1	Depression	1 (0.15%)			
			1	Diarrhoea	1 (0.15%)			
		4	3	Fever	3 (0.44%)			
		4	3	Lameness	7 (1.03%)			
		2		Leukocytosis Nasal Discharge	1 (0.15%) 3 (0.44%)			
			1	NOS NOS	1 (0.15%)			
			2	Skin Lesion NOS	2 (0.29%)			
	1 Skin Oedema 1 (0.15%)							

190 48R5.21 Page 11 of 13

	NOS = Not Otherwise Specified  *Attributed to Vaccination by licensee. Swelling resolved within 24 hours.
	**One horse was recorded with 2 separate abnormal health events both described as Skin Lesion, NOS
USDA Approval Date	May 13, 2016

190 48R5.21 Page 12 of 13

Study Type	Safety				
Pertaining to	ALL				
Study Purpose	Demonstrate safety of product under typical use conditions				
<b>Product Administration</b>	Horses were administered a vaccination series consisting of a				
	single dose of experimental serial (IVP) followed 3-4 weeks later				
	with a single dose of commercial serial (LVP), West Nile Virus				
	Vaccine, Eastern & Western & Venezuelan, Killed Virus, Tetanus				
	Toxoid, West Nile Innovator® VEWT. Vaccination was given by				
	intramuscular route.				
Study Animals	Three hundred and twenty five mixed breed client owned horses;				
Clark Davids	112 were $\leq$ 3 months of age and 213 were $\geq$ 4 months of age NA				
Challenge Description Interval observed after	Horses were observed for abnormal health events a minimum of				
vaccination	21 days after each vaccination.				
Results					
Results	Table 1: Frequency distribution of abnormal health events after				
	vaccination				
	Treatment /	1st Vac.	2nd Vac	Abnormal	Number of
	Number of	(IVP)	(LVP)	Health	Horses/%
	Vaccinations			Event	Vaccinations
	325 Vaccinations	1*		Abdominal	1 (0.15%)
		1		Pain	1 (0.13/0)
			1*	Abortion	1 (0.15%)
	at each time point	3		Lameness	3 (0.46)
		1		Wheals	1 (0.15)
	*These events occurred in the same horse. Affirmed by licensee to have a				
	cause other than vaccination.				
<b>USDA Approval Date</b>	January 3, 2018				

190 48R5.21 Page 13 of 13